
From: Hayward, Julian
To: Nancy Clark; Jacob Elder; Edward N Rizer
CC: Patterson, Leslie; Renninger, Steven; Madelyn.Adams@epa.ohio.gov; Chan, Valerie
Sent: 9/20/2016 7:55:17 PM
Subject: Notification of elevated methane levels adjacent to Dayton Power and Light, Dryden Road, Moraine, Ohio ~COR-038443-201~
Attachments: Summary of GP-2 results (20-sept-2016).pdf

Ms. Clark and Mr. Elder,

Further to the notification provided by our letter dated August 16 and the additional laboratory results provided on September 9, please see attached updated table with results of the weekly monitoring at the gas probe location on the east side of Dryden Road, adjacent to the DP&L facility (GP-2).

As shown on the table, GP-2 methane readings remain elevated, i.e., above the lower explosive limit (LEL), as of September 14, 2016.

Please let me know if you have any questions.

Julian Hayward, P.Eng.

GHD

T: +1 519 884 0510 | M: +1 519 503 3627 | E: julian.hayward@ghd.com

651 Colby Drive Waterloo Ontario N2V 1C2 Canada | www.ghd.com

[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.
